



Assembly Instructions

Emily Bench 6ft

Code: 15217



(W x D x H) 1.92m x 0.65m x 0.935m

Pressure Treated products should not be treated with any other products for the first month

PLEASE KEEP THESE INSTRUCTIONS


Emily Bench 6ft Assembly Instructions

Requires 2 person assembly

Tools required: Corded / Cordless Drill, Pozi-drive Bit / Screwdriver, (Hex Bit Included)

Emily Bench 6ft Pack List		
Item	Description	Quantity
A	Seat Assembly	1
B	Side Assembly	2
C	Back Assembly	1

Fixings	Quantity
105mm Bolt	8
10mm Nut	4
Washer	4
160mm Screws	4
Cross Dowel	4




Please take a few moments to check all pack contents listed

Requires 2 person assembly


Tools required: Corded / Cordless Drill, Pozi-drive Bit / Screwdriver, (Hex Bit Included)

1. Locate Seat Assembly A into 1no Side Assembly B ensuring bolt-holes are aligned and insert 2no 105mm bolts. Locate washers and thread nuts onto bolts, but do not fully tighten at this stage. (See Figs. 1a & 1b).
Repeat procedure on opposite side using remaining Side Assembly B.
Further secure Side Assemblies B to Seat Assembly A using 4no 160mm screws (2no screws per side, 1no screw per leg). (See Fig. 1c)
2. Insert and align 4no Cross Dowels into pre-drilled holes to rear of Back Assembly C as shown in Fig. 2a ensuring slots in Cross Dowels face outwards.
Position Back Assembly C between Side Assemblies B ensuring dowel holes are rearmost and insert 4no Bolts into Cross Dowels through pre-drilled holes (1no per Cross Dowel). (See Figs. 2b & 2c.)
3. Finally, ensure ALL fixings are fully tightened.

1a



1b



1c



2a



2b



2c

